

JAWAHAR NAVODAYA VIDYALAYA :: GOLAGHAT :: DISTT. GOLAGHAT (ASSAM)

COMPERATIVE STATEMENT OF QUOTATION/TENDER FOR SUPPLY OF ELECTRICAL ITEM DURING 2017-18

- 1) Date of advertisement/enquiry : 30.03.2017 4) No. of Tender/Quotation received : 3
 2) Number of enquiries made : _____ 5) Total amount received : 30000/-
 3) Last date for submission of Tender/Quotation : 24.04.2017 up to 04.00 PM

Date & time of opening Tender/Quotation : 25.04.2017 at 11.30 AM Date of Negotiation : _____

| Sl. No. | Name of the firm | Full Address | Date of Quotation | Quotation received | EMD received | Quotation valid upto | Remarks |
|---------|---------------------|--------------|-------------------|--------------------|--------------|----------------------|---------|
| 1 | Eastern Electricals | Golaghat | 24/04/17 | 1 | 10000/- | 30/04/2018 | |
| 2 | K.K. Trade & Elect. | Golaghat | 24/04/17 | 1 | 10000/- | 30/04/2018 | |
| 3 | KDMK Trading | Golaghat | 24/04/17 | 1 | 10000/- | 30/04/2018 | |
| 4 | | | | | | | |
| 5 | | | | | | | |

PART - II

| Sl. No. | Name of the items with specification | Unit | Firm No. with rate for each unit/item | | | | | | |
|----------------|--|--------|---------------------------------------|---------|-------|---|---|---|--|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | |
| 1 | Tube Light | | | | | | | | |
| | Philips (36 watt to 40 watt) | Per pc | (41) | 50 | 45 | | | | |
| | Havells (36 watt to 40 watt) | Per pc | | | | | | | |
| | Bajaj (36 watt to 40 watt) ✓ | Per pc | (39) | 40.00 | 43 | | | | |
| 2 | Tube Starter | | | | | | | | |
| | Philips (36 watt to 40 watt) | Per pc | (15) | | 20 | | | | |
| | Havells (36 watt to 40 watt) | Per pc | | | | | | | |
| | Bajaj (36 watt to 40 watt) | Per pc | 16 | (10.00) | 18 | | | | |
| 3 | Tube Chalk ballast | | | | | | | | |
| | Philips (36 watt to 40 watt) | Per pc | 180 | (95) | 220 | | | | |
| | Havells (36 watt to 40 watt) | Per pc | | | | | | | |
| | Bajaj (36 watt to 40 watt) | Per pc | 170 | (50) | 190 | | | | |
| 4 | Tube Copper ballast | | | | | | | | |
| | Philips (36 watt to 40 watt) | Per pc | (240) | | 260 | | | | |
| | Havells (36 watt to 40 watt) | Per pc | | | | | | | |
| | Bajaj (36 watt to 40 watt) | Per pc | 220 | | (210) | | | | |
| 5 | Electronic chock | | | | | | | | |
| | Philips (40 watt) | Per pc | (130) | | 150 | | | | |
| | Havells (40 watt) | Per pc | | | | | | | |
| | Bajaj (40 watt) | Per pc | (120) | | 150 | | | | |
| 6 | Tube Light Fittings (with electronic ballast) | | | | | | | | |
| | Philips | Per pc | (290) | 300 | 320 | | | | |
| | Havells | Per pc | | | | | | | |
| | Bajaj | Per pc | (280) | (280) | 340 | | | | |
| 7 | Bulb | | | | | | | | |
| | Philips (100 watt) | Per pc | (13) | 14 | 16 | | | | |
| | Bajaj (100 watt) | Per pc | (12) | 14 | 15 | | | | |
| | Havells (100 watt) | Per pc | | | | | | | |
| | Philips (60 watt) | Per pc | (11) | | 15 | | | | |
| | Bajaj (60 watt) | Per pc | (11) | 13 | 15 | | | | |
| 8 | CFL Bulb | | | | | | | | |
| | Philips (18/20 watt) | Per pc | (150) | | 200 | | | | |
| | Bajaj (18/20 watt) | Per pc | (140) | | 190 | | | | |
| | Havells (18/20 watt) | Per pc | (150) | 170 | | | | | |
| | Philips (11 watt) | Per pc | (110) | | 150 | | | | |
| | Bajaj (11 watt) | Per pc | (100) | | 140 | | | | |
| | Havells (11 watt) | Per pc | (110) | 120 | | | | | |
| | Philips (8 watt) | Per pc | (100) | | 130 | | | | |
| Bajaj (8 watt) | Per pc | (95) | | 130 | | | | | |


| | | | | | | | |
|----|---|--------|-----|-----|-----|--|--|
| | Havells (8 watt) | Per pc | 100 | 110 | | | |
| | LED Lamp | | | | | | |
| | Havells (15 watt) | Per pc | 247 | 280 | 410 | | |
| | Syska (15 watt) | Per pc | 250 | 280 | 400 | | |
| | Philips (15 watt) | Per pc | 240 | | 390 | | |
| | Havells (12 watt) | Per pc | 230 | | 340 | | |
| 9 | Syska (12 watt) | Per pc | 240 | 250 | 350 | | |
| | Philips (12 watt) | Per pc | 240 | | 350 | | |
| | Havells (5 watt) | Per pc | 120 | 130 | 150 | | |
| | Syska (5 watt) | Per pc | 130 | 130 | 160 | | |
| | Philips (5 watt) | Per pc | 120 | | 150 | | |
| | PVC Pendant Holder | | | | | | |
| 10 | Anchor | Per pc | 30 | 25 | 30 | | |
| | Havells | Per pc | 32 | 30 | 35 | | |
| | PVC Angle Holder | | | | | | |
| 11 | Anchor | Per pc | 28 | 27 | 30 | | |
| | Havells | Per pc | 30 | 30 | 35 | | |
| | PVC Batten Holder | | | | | | |
| 12 | Anchor | Per pc | 25 | 27 | 30 | | |
| | Havells | Per pc | 28 | 30 | 30 | | |
| | Panta Switch | | | | | | |
| 13 | Anchor (6 amp) | Per pc | 15 | 15 | 18 | | |
| | Havells (6 amp) | Per pc | 18 | 16 | 20 | | |
| | Panta Switch | | | | | | |
| 14 | Anchor (16 amp) | Per pc | 70 | 70 | 80 | | |
| | Havells (16 amp) | Per pc | 72 | 70 | 85 | | |
| | Socket 5 pin | | | | | | |
| 15 | Anchor (6 amp) | Per pc | 30 | 25 | 30 | | |
| | Havells (6 amp) | Per pc | 28 | 28 | 35 | | |
| | Socket 5 pin | | | | | | |
| 16 | Anchor (16 amp) | Per pc | 70 | 70 | 80 | | |
| | Havells (16 amp) | Per pc | 75 | 70 | 85 | | |
| | PVC Switch Board (Pesto take) | | | | | | |
| | (4" x 4") | Per pc | 40 | 40 | 48 | | |
| | (4" x 7") | Per pc | 60 | 60 | 80 | | |
| 17 | (6" x 8") | Per pc | 70 | 80 | 100 | | |
| | (8" x 10") | Per pc | 95 | 100 | 150 | | |
| | (10" x 12") | Per pc | 140 | 135 | 220 | | |
| | M.C.B. (Havells) | | | | | | |
| 18 | 6 Amp. | Per pc | 130 | 150 | 190 | | |
| | 10 Amp. | Per pc | 130 | 155 | 190 | | |
| | 32 Amp. | Per pc | 130 | 160 | 190 | | |
| | Isolation (Switch Disconnecter) (2 pole) (Havells) | | | | | | |
| 19 | 32 Amp | Per pc | 360 | | 450 | | |
| | 63 Amp | Per pc | 410 | 430 | 520 | | |
| | 160 Amp | Per pc | | | | | |
| | Bakalit Sheet | | | | | | |
| 20 | 5" x 5" | Per pc | 18 | 15 | 25 | | |
| | 4" x 7" | Per pc | 28 | 20 | 30 | | |
| | 6" x 8" | Per pc | 44 | 25 | 36 | | |
| | 8" x 10" | Per pc | 70 | 35 | 95 | | |
| | 10" x 12" | Per pc | 100 | 55 | 140 | | |
| | BTC Wire (100 mtr coil) (2.5 mm) | | | | | | |


| | | | | | |
|----|--|----------|------|-------|------|
| | Rhino (2.5 mm) | Per coil | | | |
| | Shikago (2.5 mm) | Per coil | 780 | 970 | 1050 |
| | Havells (4 mm) | Per coil | | | |
| | Rhino (4 mm) | Per coil | | | |
| 21 | Shikago (4 mm) | Per coil | 1120 | 1340 | 1430 |
| | Havells (6 mm) | Per coil | | | |
| | Rhino (6 mm) | Per coil | | | |
| | Shikago (6 mm) | Per coil | 1480 | 1830 | 1820 |
| | Havells (10 mm) | Per coil | | | |
| | Rhino (10 mm) | Per coil | | | |
| | Shikago (10 mm) | Per coil | 2650 | 2570 | 3450 |
| | Multistand copper wire (90 mtr. Coil) | | | | |
| | Havells (.75 mm) | Per coil | 630 | 675 | 600 |
| | Chikago (.75 mm) | Per coil | 590 | | 650 |
| | Havells (.1 mm) | Per coil | 1180 | 870 | 1220 |
| 22 | Chikago (.1 mm) | Per coil | 1220 | | 1120 |
| | Havells (1.5 mm) | Per coil | 1270 | 1315 | 1250 |
| | Chikago (1.5 mm) | Per coil | 1290 | | 1200 |
| | Havells (2.5 mm) | Per coil | 1950 | 2100 | 2250 |
| | Chikago (2.5 mm) | Per coil | 2020 | | 2100 |
| | Drill bit (Wall) (J.K.Files) | | | | |
| | 4 mm | Per bit | 320 | | 350 |
| | 5 mm | Per bit | 380 | | 400 |
| 23 | 5.5 mm | Per bit | 60 | 50 | 500 |
| | 6 mm | Per bit | 550 | | 550 |
| | 6.5 mm | Per bit | 80 | 70 | 80 |
| | Halogen Fittings | | | | |
| | Philips (500 watt) | Per pc | 650 | | 950 |
| | Havells (500 watt) | Per pc | 700 | 760 | 1000 |
| 24 | Bajaj (500 watt) | Per pc | 650 | 600 | 980 |
| | Philips (1000 watt) | Per pc | 1850 | | 1650 |
| | Havells (1000 watt) | Per pc | 1850 | 1500 | 1700 |
| | Bajaj (1000 watt) | Per pc | 1480 | | 1650 |
| | Halogen Bulb | | | | |
| | Philips (500 watt) | Per pc | 90 | 85 | 120 |
| | Havells (500 watt) | Per pc | 90 | 80 | 800 |
| 25 | Bajaj (500 watt) | Per pc | 85 | 85 | 700 |
| | Philips (1000 watt) | Per pc | 120 | 90 | 100 |
| | Havells (1000 watt) | Per pc | 100 | 100 | |
| | Bajaj (1000 watt) | Per pc | 90 | 90 | 120 |
| | Fan capacitor | | | | |
| | Universal 2.5 mtd. | Per pc | 30 | 30 | 80 |
| 26 | Havells 2.5 mtd. | Per pc | 40 | 35 | 60 |
| | Universal 3.5 mtd. | Per pc | 50 | 85 | 80 |
| | Havells 3.5 mtd. | Per pc | 60 | 40 | 90 |
| | Armaring Cable | | | | |
| | 25 mm | Per mtr | 80 | | |
| 27 | 35 mm | Per mtr | 95 | | |
| | 50 mm | Per mtr | 120 | | |
| | Hallogen Holder | | | | |
| | 500 watt | Per pc | 80 | 35 | 100 |
| 28 | 1000 watt | Per pc | 95 | 45 | 130 |
| | 3 pin top (Anchor, Havells) | | | | |
| | 6 amp | Per pc | 45 | 45 | 50 |
| 29 | 16 amp | Per pc | 70 | 65 | 80 |
| 30 | 2 pin top (Anchor, Havells) | Per pc | 15 | 20/18 | 10 |


| | | | | | | | |
|---------------------|--|----------|-----|-------|-----|--|--|
| 31 | 2 pin (Male-Female) (Anchor, Marke) | Per pc | 30 | 36 | 30 | | |
| 32 | Flexible wire (Alloy) (Super Quality) (90 mtr coil) 40' x 70' | Per coil | 360 | 380 | 550 | | |
| 33 | Flexible wire (Copper) (Super Quality) (90 mtr coil) 40' x 70' | Per coil | 680 | 700 | 850 | | |
| 34 | Tube Light Rotor holder (Good quality) | Per pc | 15 | 10 | 10 | | |
| 35 | Tube Rotor Holder (Phillips type) | Per pc | 30 | | 20 | | |
| 36 | Wall clip (5 mm/6 mm) | Per pc | 10 | 30/60 | | | |
| 37 | PVC Gutka 1/2", 3/4", 1 1/2" | Per pc | 30 | 30 | 50 | | |
| 38 | Insulation tape 8 mtr/10 mtr (Steel Grip) (Anchor Grip) | Per pc | 12 | 10 | 15 | | |
| 39 | Ceiling fan nut bolt | Per set | 10 | 65 | 30 | | |
| No. of lowest rates | | | 74 | 40 | 11 | | |


Gafern Electricals Golaghat quoted lowest rate but not produced the documents as per terms & conditions. So committee decided to select party i.e. K.K. Electricals Golaghat & the firm accepted to supply all items as per lowest rate quoted by second party.


Board proceeding :


 (B.K. DAS),
 PGT (Eco.)
 JNV, Golaghat.
 (Member)


 Principal,
 Betoni Govt. H.S. School
 (Member)


 (T.M. BERA, ACS),
 Asstt. Commissioner,
 DC's Office, Golaghat
 (Member)


 Inspector of School
 Golaghat
 (Member)


 (Dr. M.M. CHOUDHURY),
 Principal i/c, JNV,
 Golaghat.
 (Chairman)